## ATTACHMENT B ESTABLISHING PROCEDURES

## A. Presentation of Exhibits During the Evidentiary Hearing

- 1. Because the hearing will be held remotely by videoconference, all evidence must be presented electronically. This Attachment establishes procedures for the presentation of exhibits during the evidentiary hearing.
- 2. To facilitate the presentation and admission of exhibits during the hearing, the Commission will provide a spreadsheet identifying and hyperlinking to each pre-filed exhibit in the administrative record. The spreadsheet will be made available to the parties prior to the hearing and will also be marked as a hearing exhibit. Commission staff will be able to display pre-filed electronic filings during the hearing.
- 3. Previously filed documents that will be offered into evidence but have not been identified in compliance with the procedures outlined below must be revised and re-filed in accordance with the requirements in this Attachment. Any such re-filing must be done within 14 days of the mailed date of the decision to which this Attachment is appended. The refiled documents will be treated as the original filing of hearing exhibits.<sup>1</sup>
- 4. Any stipulations or settlement agreements, along with any associated testimony or exhibits, shall also be filed electronically in accordance with the procedures set forth below.

<sup>&</sup>lt;sup>1</sup> Compliance with this Decision may result in a change to pagination of prior versions of hearing exhibits. References in discovery requests and responses to prior versions of hearing exhibits will be construed to be amended to refer to the latest filed version of such testimony, unless otherwise specified. Although corresponding page and line references might be affected by such construction, corrected references will not be so long as the original reference remains reasonably close to the new location of the referenced material.

Page 2 of 10

5. Final versions of all previously filed hearing exhibits must be filed on or before the

fourth business day prior to the hearing,<sup>2</sup> unless otherwise ordered, so that the spreadsheet may be

prepared and distributed prior to the hearing. Hyperlinks will not be included for confidential or

highly confidential exhibits. Any exhibits filed after this deadline will not be included in the

spreadsheet of hyperlinked electronic exhibits, and during the hearing the filing party will be

responsible for moving the admission of any late exhibits.

6. After the deadline for final versions, a party intending to present a document during

hearing must: (a) pre-mark such document with a hearing exhibit number within the party's

assigned exhibit number block as required by this Attachment; and (b) upload such document into

the party's designated box.com folder before presenting them during the hearing.<sup>3</sup> This includes

documents not required to be pre-filed (e.g., for impeachment, to refresh recollection, or for

rebuttal).

7. The parties are responsible for ensuring they and their witnesses have access to all

pre-marked exhibits and are able to download and view documents from box.com during the

hearing.

B. Assignment of Hearing Exhibit Number Blocks

8. In order to efficiently organize the numbering and preparation of exhibits for the

hearing, all parties shall use a unified numbering system for all hearing exhibits.

<sup>2</sup> A calculation of the fourth business day prior to hearing shall exclude the first day of the hearing and include each of the four business days preceding the hearing. For example, if the first day of the hearing falls on a Monday, then the fourth business day prior to hearing is Tuesday of the preceding week.

the fourth business day prior to hearing is Tuesday of the preceding week.

<sup>3</sup> The Public Utilities Commission uses a web-based document sharing service, box.com. All parties must ensure they can access and use box.com. An e-mail with more details will follow.

Page 3 of 10

9. The party initiating the proceeding is assigned hearing exhibit numbers, from 100

to 299.

10. Each intervening person or entity is assigned a block of 100 hearing exhibit

numbers (e.g., 300-399, 400-499, etc.) in the chronological order that notices of intervention by

right and petitions for permissive intervention are filed, as reflected in the Commission's E-Filings

System. As a result, the first person or entity noticing an intervention by right or requesting

permissive intervention is assigned hearing exhibit numbers from 300 to 399, the second person

or entity is assigned hearing exhibit numbers from 400 to 499, etc. Parties shall rely upon the

Commission's E-Filings System to determine sequencing of requests for intervention (i.e., without

regard to whether or when the interventions were granted). To determine the sequencing and avoid

duplicative use of blocks, parties are encouraged to confer as needed.

C. **Identification and Filing Requirements for Hearing Exhibits** 

11. In addition to other requirements of the Commission's Rules of Practice and

Procedure, 4 Code of Colorado Regulations 723-1 (e.g., Rule 1202 regarding pre-filed testimony),

all pre-filed hearing exhibits shall be marked for identification and filed as required by this

Attachment.4

12. Parties must mark all hearing exhibits for identification in sequential order, using

hearing exhibit numbers within their assigned hearing exhibit number block. Each type of a

witness's testimony, including any attachments, (e.g., direct, answer, rebuttal, cross-answer, and

<sup>4</sup> In order to minimize the size and allow electronic text searches of the PDF files, versions filed in PDF

format should be generated from the native executable electronic file format when possible.

Page 4 of 10

supplemental) shall be marked with one hearing exhibit number.<sup>5</sup> Even if comprised of multiple

electronic documents, the testimony and attachments will be one hearing exhibit.<sup>6</sup>

13. Parties should not duplicate hearing exhibits or attachments previously filed by

another party. At the hearing, any party may sponsor an exhibit that was pre-filed by another party.

14. The title of all pre-filed written testimony should include the type of testimony and

the name of the witness. For example, if Hearing Exhibit 100 is the direct testimony of witness

John J. Doe, the following title should be used: "Hearing Exhibit 100, Direct Testimony of John J.

Doe."

15. Anything accompanying pre-filed written testimony within a hearing exhibit (e.g.,

exhibits, appendices, attachments, or attachments to filing) shall be referred to as an "attachment"

to the testimony and identified by the hearing exhibit number reference, the witness's initials, and

a number sequence. For example, if the party assigned block 300 files answer testimony of Albert

B. Cooke which includes a table as Attachment ABC-1, then the title of the table will be "Hearing

Exhibit 300, Attachment ABC-1." The attachment should not be referred to as Exhibit ABC-1 or

Appendix A.

16. When filing hearing exhibits in the Commission's E-Filings System, parties must

title the exhibits to match the title of the hearing exhibit, but the title must not be in all uppercase

format. All exhibit titles entered into the E-Filing System must start with "Hearing Exhibit XXX."

<sup>5</sup> Each type of testimony should be identified with a different hearing exhibit number. For example, John J. Doe's direct testimony may be Hearing Exhibit 100 and his rebuttal testimony may be Hearing Exhibit 105.

<sup>6</sup> While marked for identification with one hearing exhibit number, the testimony and each attachment should be filed in compliance with Rule 1202 of the Commission's Rules of Practice and Procedure, 4 Code of Colorado Regulations 723-1, which provides that the primary document and each secondary document must be separately

uploaded in the Commission's E-Filings system.

Page 5 of 10

Building on the above examples, John J. Doe's Direct Testimony should be titled "Hearing Exhibit

100, Direct Testimony of John J. Doe" when filing in the Commission's E-Filing System, and the

first attachment to John J. Doe's testimony should be titled "Hearing Exhibit 100, Attachment

JJD-1" when filing.

D. Formatting of Hearing Exhibits

17. The first page of each hearing exhibit shall be page 1, with each additional page

numbered in succession. For example, the cover page shall be page 1, and all following pages shall

be numbered sequentially, including executive summaries, tables of contents, and lists of

attachments. This will facilitate navigating the exhibits during the hearing.

18. There shall be only one page number shown on each page of all hearing exhibits.

Page numbers should be included in the header of each page-numbered hearing exhibit (e.g.,

placed at the top right corner of each page of the hearing exhibit or attachment included as part of

a hearing exhibit). The top line of the header shall include the title of the document (e.g., Hearing

Exhibit 400, Answer Testimony of Albert B. Cooke or Hearing Exhibit 400, Attachment ABC-1,

Page 1).

19. A person may modify formatting options in revisions to filed documents in order to

minimize the resulting impact to page and line references (e.g., widen a paragraph margin to insert

a word).

20. Titles entered into the Commission's E-Filings System should be in title format and

must not be in all capital letters.

21. Any spreadsheet filed as, or that is the basis for, an attachment to a hearing exhibit

shall be filed in both PDF format and in the native executable electronic file format (e.g., .xlsx,

.ods, .gsheet).

22. The title of the executable version filed shall mirror the title identifying the pre-filed

version and include the word "Executable" after the hearing exhibit number. For example: Hearing

Exhibit 300, Executable Attachment ABC-1, or Hearing Exhibit 400, Executable.

23. Parties are not required to: mark native executable hearing exhibits, including

executable attachments thereto, for identification, paginate such executable exhibits, or file

amended, modified, or corrected executable exhibits in redline/strikeout format.

F. Modifying, Amending, or Correcting a Previously Filed Hearing Exhibit on

or Before the Deadline for Corrections

24. Should a party need to modify, amend, or correct a previously identified hearing

exhibit on or before the earlier of the ordered deadline for such changes or the fourth business day

prior to hearing, the following procedures shall be followed.

25. If the native executable electronic file format is not a spreadsheet, a complete

revision including all changes in redline/strikeout format shall be filed.<sup>7</sup> No modification,

amendment, or correction shall be made to a file hearing exhibit without indicating a new revision

number, as described below. The same title shall be used for the title as the original, except that a

revision number reference must be added to give notice of the change.

<sup>7</sup> Filing a "clean" version is not necessary and is discouraged.

Page 7 of 10

26. For example, if Hearing Exhibit 100, Direct Testimony of John J. Doe changed, it

would be refiled as Hearing Exhibit 100, Direct Testimony of John J. Doe, Rev. 1 and would

contain all redlined modifications as compared to the original version. If a second revision is later

filed, it would be filed as Hearing Exhibit 100, Direct Testimony of John J. Doe, Rev. 2 and would

contain all redlined modifications as compared to the original version. For Rev. 2 and all

subsequent revisions, the filing shall also include a notice identifying changes in each revision

from the most recent previous revision. Further, the title of any revision must not contain the word

"corrected" even if the revision corrects the prior filing.

27. If the native executable electronic file format is a spreadsheet (e.g., .xlsx, .uos,

.gsheet), a complete revision including all changes shall be filed. The changes do not need to be in

redline/strikeout format. No modification, amendment, or correction shall be made to a filed

hearing exhibit without indicating a new revision number (e.g., Rev. 1). The same title shall be

used for the title as the original, except that a revision number reference must be added to give

notice of the change. The revision pages shall also include an additional notice attachment

identifying changes in each revision from the most recent previous revision. Additionally, a

complete revision of the executable spreadsheet, including all changes, shall be filed.

28. The most recent revision of a hearing exhibit shall be the version utilized during

the evidentiary hearing. References in testimony to obsolete versions of other testimonies will be

construed to be amended to refer to the latest filed version of such testimony, unless otherwise

specified. Although corresponding page and line references might be affected by such

construction, corrected references will not be necessary so long as the reference remains in

reasonable proximity to the referenced material.

Page 8 of 10

G. Modifying, Amending, or Correcting a Previously Filed Hearing Exhibit After the Deadline for Corrections

29. Should a party need to modify, amend, or correct a previously identified hearing

exhibit after the earlier of the ordered deadline for such changes or the fourth business day prior

to hearing the following procedures shall be followed to upload them into the party's designated

box.com folder rather than filing through the Commission's E-Filings System.

30. If the native executable electronic file format is not a spreadsheet, all changes

should be reflected on replacement pages only in redline/strikeout format that will be: (a) marked

for identification with a hearing exhibit number within the party's assigned exhibit number block

in accordance with the procedures in this Attachment; and (b) uploaded into the party's designated

box.com folder prior to use of the exhibit during the hearing.8 The replacement pages shall also

include an additional notice attachment identifying changes in each revision from the most recent

previous revision.

31. If the native executable electronic file format is a spreadsheet (e.g., .xlsx, .uos,

.gsheet), all changes shall be reflected only on replacement pages that will be: (a) marked for

identification with a hearing exhibit number within the party's assigned exhibit number block in

accordance with the procedures in this Attachment; and (b) uploaded into the party's designated

box.com folder prior to use of the exhibit during the hearing. The changes do not need to be in

redline/strikeout format. The revision pages shall also include an additional notice attachment

identifying changes in each revision from the most recent previous revision. Additionally, a

complete revision of the executable spreadsheet, including all changes, shall be filed in accordance

<sup>8</sup> Filing a "clean" version is not necessary and is discouraged.

Attachment B Decision No. C23-0514-I-E

Proceeding No. 23A-0242E Page 9 of 10

with the provisions governing modifying a previously filed exhibit on or before the corrections

deadline.

32. If the changes are permitted, and assuming the original filing is otherwise

admissible, both hearing exhibits would be admitted into evidence during the hearing with the

latter replacement pages superseding and prevailing to the extent of conflict in the previous

revision.

33. References to superseded portions of a hearing exhibit will be construed to be

amended to refer to the replacement pages, unless otherwise specified. Although corresponding

page and line references might be affected by such construction, corrected references will not be

necessary so long as the original reference remains reasonably close to the new location of the

referenced material. For example, a reference in answer testimony to line 5 on page 10 of a

witness's direct testimony need not be revised if page 10 of the direct testimony is replaced, so

long as the material that was originally at line 5 on page 10 remains reasonably close.

H. Procedures Regarding Confidentiality

34. Any pre-filed hearing exhibit (including attachments) filed in accordance with the

Standards of Conduct in the Commission's Rules of Practice and Procedure containing confidential

information shall be pre-marked for identification by the same hearing exhibit number as the

redacted public version of the hearing exhibit but shall be designated with a "C" following the

number of the hearing exhibit or attachment.

35. For example, a witness's pre-filed written testimony might be identified as Hearing

Exhibit 100, Direct Testimony of John J. Doe. If portions of the testimony in Hearing Exhibit 100,

Direct Testimony of John J. Doe are claimed to be confidential, the confidential version of Hearing

Page 10 of 10

Exhibit 100 would be filed in accordance with the Standards of Conduct and identified as Hearing

Exhibit 100C, Confidential Direct Testimony of John J. Doe. In this confidential version of the

hearing exhibit, only the material that is highly confidential will be redacted. In addition, Hearing

Exhibit 100, Direct Testimony of John J. Doe would remain in the public record (redacted to

exclude confidential and highly confidential material).

36. Further, if portions of Hearing Exhibit 100, Direct Testimony of John J. Doe,

Attachment JJD-1 are claimed to be confidential, a confidential version of Hearing Exhibit 100,

Attachment JJD-1 would be filed in accordance with the Standards of Conduct and identified as

Hearing Exhibit 100, Confidential Attachment JJD-1C. In this confidential version of the

attachment, only the material that is highly confidential will be redacted. In addition, Hearing

Exhibit 100, Attachment JJD-1 would remain in the public record (redacted to exclude confidential

and highly confidential material).

37. Likewise, any pre-filed hearing exhibit (including attachments) containing highly

confidential information shall be pre-marked for identification by the same hearing exhibit number

as the redacted public version of the hearing exhibit but shall be designated with a "HC" following

the number of the hearing exhibit or attachment.